


We develop machinery for and with our customers.



KHW Maschinenbau GmbH



Polfram

Semi-automatic bottle cleaning machine

Technik mit Vorsprung
Technology with a winning margin



manufacturer of beverage machines
new and second-hand-equipment
overhauls - parts supply

KHW Maschinenbau GmbH

Polfram

Semi-automatic bottle cleaning machine

Description

Clean Bottles by Thorough Brushing and Rinsing in One Operation

Thanks to their well-known advantages, bottle cleaning machines of the POLFRAM series have been used in wineries successfully for many years now. They are not only robust and perfectly serve their purpose, but also convince the user by their thorough and effective treatment abilities.

The housing of the POLFRAM is made of stainless steel, and thus corrosion is prevented. And here are some other important technical details :



The machine is provided with each two inside and bottom brushes as well as with one brush for the bottle outside. Inside and outside brushes rotate in maintenance-free, self-lubricating slide bearings. They are shielded by corrosion-proof casings.

The drive is arranged close to the rotating brushes. A V-belt forms the drive connection. This means that maintenance-intensive gear designs are not required.

Method of operation

The POLFRAM machine can easily be operated by one person.

Brushing and rinsing of the bottles is effected in one operation.

The water supply from the axe of the bottom brush lever via ball valve is controlled in such a way that water is only supplied when the bottom brush is in contact with the bottle base, i.e. this is the start of the cleaning process. When the bottom brush is lifted, the water supply is interrupted and the cleaning process finished. The POLFRAM machine can easily be adapted to the bottle type to be handled.

Technical Data

Suitable for:	all common DIN and standard bottles
Output:	400 - 600 bottles/h, depending on degree of contamination, independent of bottle shape and size
Water consumption:	200 - 300 l/h
Water connection:	hose liner $\frac{3}{4}$ "
Water pressure:	1,5 - 3 bar
Power requirements:	0,75 kW, 220/380 V
Dimensions:	Height 1200 mm, width 560 mm, depth 570 mm
Weight:	77 kg
Brushes :	2 inside brushes, 2 bottom brushes, 1 outside brush

Fax inquiry +49 631 / 414 107-14

or by post office



KHW Maschinenbau GmbH

Hersteller von Getränkemaschinen
Neu- und Gebrauchtgeräten
Überholungen - Teilelieferungen

*manufacturer of beverage machines
new and second-hand-equipment
overhauls - parts supply*

KHW Maschinenbau GmbH · Ö^} ä•dæ ^ÄFH · D-67663 Kaiserslautern

KHW Maschinenbau GmbH
Ö^} ä•dæ ^ÄFH

D-67663 Kaiserslautern

Denisstraße 13
D-67663 Kaiserslautern
Tel. +49 631 / 414 107-0
Fax. +49 631 / 414 107-14
info@khw-gmbh.com
www.khw-gmbh.com

The Polfram Semi-automatic bottle cleaning machine

We request,

- a briefing concerning this subject
- A non-binding offer
- Return call

Tel. / extension:

contact person:

Addresser:

name:

address:

Tel.: Fax:

E-Mail:

.....
date:

.....
signature, stamp